

NovaSeal™ Crimping Tools

Securely seal and separate single-use tubing

Maintain a sterile fluid path

The unique NovaSeal[™] crimping tool seals and separates a pinch-piped tube in one simple motion. This pinch-pipe/tube combination, along with the crimping tool, enables a leak free disconnection of your single-use assembly. NovaSeal[™] ensures that sterility is maintained and that the fluid is securely protected from the outside environment at all times.

The patented design of the crimping tool seals and separates the flow path as the pinch-pipe is crimped and cut, enabling the sterile separation of tubing. As part of the Mobius[®] family of single-use bioprocessing technologies, NovaSeal[™] technology enables easy and secure separation of tubing in single-use assemblies.

The right tool, the right size

NovaSeal[™] crimpers are offered in 2 sizes; the manual crimping tool for 3mm x 6mm OD tubing and the battery-powered crimping tool for use on 1/4-inch. 3/8-inch, and 1/2-inch ID tubing with a wall thickness of 1/8-inch.



Benefits

- Sterility assurance is maintained
- Quickly seals silicone and thermoplastic elastomer tubing
- Light weight and portable device
- Fast and efficient cycle time
- Compatible with a variety of silicone and TPE tubing
 *refer to validation guide



Easy to use

Jaws

Die

Die Lock

Die Lock

In one motion, the tube of your single-use assembly can be crimped to ensure a leak free and sterile seal then cut to disconnect the tubing.

- 1. Place the tubing with metallic pinch-pipe into the die of the tool.
- 2. Squeeze the trigger switch on the handle of the tool to complete the crimp and cut cycle.
- 3. Remove the sealed tube from the jaw set.

Pressing mechanism release /

Locking pin

Ø

Battery lock

Battery

LED

Trigger Pressing mechanism cover

> Battery-Powered Crimping Tool









Battery-Powered Crimping Tool

Dimensions	
Weight	2.5 kg (5.5 lbs)
Materials of Construction	
Body	Polyamide
Crimping jaws	Nickel-plated steel
Crimp and cut die	Nickel-plated steel
Screws and bearings	Stainless steel
Cycle Time	approximately 4 seconds
Thrust Force	15 kN
Battery Voltage	10.8V
Battery Charging Time	approximately 40 minutes
Cycles per charge	100-150
Operating Temperature Range	5 to 50 °C
Sound Level	70.6 dB (A) at a distance of 1 m
Vibrations	< 2.5 m ²

Tubing Seat

Manual Crimping Tool

Materials of Construction	
Body	Aluminum
Lower die	Steel with hardened special surface treatment
Upper die	Steel with hardened special surface treatment
Screws and bearings	Stainless steel



Ordering Information

NovaSeal [™] Battery-Powered Crimping Tool Kit		
Battery-Powered crimping tool		
100-120 V US and Japan plug	NM0043	
220-240 V Europe plug	NM0044	
220-240 V UK plug	NM0045	
Battery chargers		
100-120 V US and Japan plug 10.8 V Li-Ion	NM0046	
220-240 V Europe plug 10.8 V Li-Ion	NM0047	
220-240 V UK plug 10.8 V Li-Ion	NM0048	
100-120 V US and Japan plug 9.6 V NiMH	NM0028	
220-240 V Europe plug 9.6 V NiMH	NM0027	
220-240 V UK plug 9.6 V NiMH	NM0037	
Die (ID x OD)		
1/4 in. x 1/2 in.	NM0021	
3/8 in. x 5/8 in.	NM0022	
1/2 in. x 3/4 in.	NM0023	
Jaw Assembly	NM0025	
Extra/replacement battery, 10.8 V Li-Ion	NM0042	
Extra/replacement battery, 9.6 V NiMH	NM0024	
Pinch pipes in packages of 100 (ID x OD)		
1/4 in. x 1/2 in.	NM0001PK100	
3/8 in. x 5/8 in.	NM0019PK100	
1/2 in. x 3/4 in.	NM0002PK100	
Silicone end cover pinch pipes in packages of 200 (ID x OD)		
1/4 in. x 1/2 in.	NM0039	
3/8 in. x 5/8 in.	NM0041	
1/2 in. x 3/4 in.	NM0040	

Tubing with Pinch Pipes for Tool Set Up and Demos

Ten 6 inch silicone tubes per package with three pinch pipes per tube

1/4 in. x 1/2 in.	MCA0000L777A05
3/8 in. x 5/8 in.	MCA0000L783A05
1/2 in. x 3/4 in.	MCA0000L784A05

NovaSeal [™] Manual Crimping Tool	
Manual Crimping Tool 3 x 6 mm (ID x OD) tubing1	A100
Manual Crimper Spare parts kit (check after 500 uses)	A104
 1 tube with pinch pipe for testing 1 upper and lower cutting tool	
Pinch pipe, 3 x 6 mm	NS6-15-05PK100

¹Manual tool comes with 1 extra upper crimping tool

Pre-mounted metallic pinch pipes must be specified when ordering your disposable assembly



Battery-Powered Crimping Tool Kit

Tool kit includes the crimping tool, battery, charger, and jaw assembly. Die is not included.



NovaSeal™ crimping tool dies and pinch pipes



Crimped pinch pipes with silicon covers



For additional information, please visit **EMDMillipore.com**

To place an order or receive technical assistance, please visit EMDMillipore.com/contactPS

400 Summit Drive Burlington, MA 01803

MilliporeSigma

© 2019 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved. MilliporeSigma, the vibrant M, Millipore, NovaSeal, Mobius, and NovaSeptum are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources. Lit. No. DS1040EN00 Rev. 8.0 2017-05630 06/2019